

?????

- tdk
- PC
-
- PC
-

?????tdk?

English

1.tdk??

```
tdk[ ] /  tdk[ ]
[ ] tdk
[ ] tdk[ ] t[ ] title[ ] d:[ ]
description[ ] k[ ] key[ ] tdk[ ] tdk[ ]
```

image.png

Diagram illustrating the data flow for the tdk module:

Input: image.png (represented by a 4x4 grid of blocks)

Process: image.png $\rightarrow$ [4x4 grid] $\rightarrow$ [4x4 grid] $\rightarrow$ [4x4 grid] $\rightarrow$ [8x4 grid] $\rightarrow$ [8x4 grid]

Output: tdk (represented by a 4x4 grid of blocks)

???PC???????

English



cb812fe3-ffff-4075-986a-d77f62f5ef5f.jpg



a1.png

a2.png



????????

English

--	--	--	--	--	--

logo

TDK

--	--	--	--	--	--

□□□□ PC□□ log□□□□□□□□ /□□ TDK

--	--	--	--	--	--

TDK

[illegible]

1

--	--	--	--	--	--

--	--	--	--	--	--

[illegible]

image.png



2.png



image.png

image.png



Four small square icons Six small square icons TDK[Eight small square icons] > [Five small square icons]

5.png

image.png

Four small square icons Two small square icons PC[Eight small square icons] 10

[Eight small square icons] 1[Five small square icons] 10[Two small square icons]

image.png

PC????????????

English

16214192045063.png

????????????

English

[illegible][illegible][illegible]

--	--	--	--	--	--	--	--

[illegible][illegible][illegible][illegible]

→

--	--

→

--	--	--	--

1.png

-

--	--	--	--

[illegible] $\geq$

--	--	--	--

$$\geq \begin{array}{|c|c|c|c|c|c|c|} \hline & & & & & & \\ \hline \end{array}$$

image.png

image.png

image.png

5.png

image.png

6.png

image.png

7.png

image.png

- 1. image.png
- 2. image.png